

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PRO SERIES

ISSUE DATE: 02/01/2009

DIVISION AND LOCATION	SECTION 1
-----------------------	-----------

Division: Ambassador IXL Manufacturing Inc.
Location: 1930 West 3350 South, Roy Utah 84067
Emergency Telephone Number: 800-872-4951

CHEMICAL AND PHYSICAL PROPERTIES	SECTION 2
----------------------------------	-----------

Chemical Name(s): petroleum hydrocarbon plus additives
Formula: not applicable
Hazardous Decomposition Products:
Carbon monoxide and carbon dioxide from burning
Oxides of sulfur
Oxides of nitrogen
Incompatibility (Keep away from):
Strong oxidizers such as hydrogen peroxide, bromine, and chromic acid
Toxic and Hazardous Ingredients:
None
Form: liquid
Odor: motor oil
Appearance: liquid
Color: blue
Specific Gravity(water=1): .87 to .9
Boiling Point: greater than 226°C (440°F)
Melting Point: -40°C (-40°F)
Solubility in Water (by weight %): 0 at 20°C
Volatile (by weight %): 0
Evaporation Rate: 0
Vapor Pressure (mm Hg at 20°C): 0
Vapor Density (air=1): not applicable
pH (as is): not applicable
Stability: Product is stable under normal conditions
Viscosity SUS at 100°F: Greater than or = to 100

FIRE AND EXPLOSION DATA	SECTION 3
-------------------------	-----------

Special Fire Fighting Procedures;
Do not use water except as fog.
Unusual Fire and Explosion Hazards:
None
Flashpoint: (Method used) Cleveland open cup greater than 130°C (266°F)
Flammable limits %: not applicable
Extinguishing agents: Dry chemical or waterfog or CO2 or foam or sand/earth
Closed containers exposed to fire may be cooled with water

HEALTH HAZARD DATA	SECTION 4
--------------------	-----------

Permissible concentrations (air):

See Comments section

Chronic effects of overexposure:

No data available

Acute toxicological properties:

No data available

Emergency First Aid Procedures:

Eyes: Immediately flush with large quantities of water for at least 15 minutes and call a physician

Skin Contact: Remove excess with cloth or paper. Wash thoroughly with soap and water

Inhalation: Remove victim to fresh air. Call a physician

If Swallowed: Contact a physician immediately

SPECIAL PROTECTION INFORMATION	SECTION 5
--------------------------------	-----------

Ventilation Type Required (Local, mechanical, special):

See Comments section

Respiratory Protection (Specify type):

none

Protective Gloves:

none

Eye Protection:

chemical safety goggles

Other Protective Equipment:

none

HANDLING OF SPILLS OR LEAKS	SECTION 6
-----------------------------	-----------

Procedures for Clean-Up: Transfer bulk of mixture into another container. Absorb residue with an inert material such as earth, sand, or vermiculite. Sweep up and dispose as solid waste in accordance with local, state, and federal regulations.

Waste Disposal: Dispose of in accordance with all applicable federal, state and local regulations.

SPECIAL PRECAUTIONS	SECTION 7
---------------------	-----------

Precautions to be taken in handling and storage:

Do not handle or store at temperatures over

Maximum Storage Temperature:

38°C (100°F)

HEALTH HAZARD DATA	SECTION 8
--------------------	-----------

D.O.T. Not Regulated

Reportable Quantity: Not applicable

Freight Classification: Petroleum Lubricating Oil

Special Transportation Notes: None

COMMENTS	
----------	--

If used in applications where a mist may be generated, observe a TWA/PEL of 5 mg/m³ for mineral oil mist (OSHA and ACGIH).

NFPA RATINGS: Health: 1, Flammability: 2, Reactivity: 0

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. FOR INDUSTRIAL USE ONLY. NOT TO BE TAKEN INTERNALLY. N/A=NON APPLICABLE



AMBASSADOR IXL MANUFACTURING INC.
1930 WEST 3350 SOUTH, ROY UTAH 84067
800-872-4951